



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

January 28, 2009

**COOLEY GODWARD KRONISH LLP**  
**ATTN: PATENT GROUP**  
**Suite 1100**  
**777 - 6th Street, NW**  
**WASHINGTON DC 20001**

Patent No. : 7,333,895 B2  
Inventor(s) Ben A. Hitt, et al.  
Issued : February 19, 2008  
For **QUALITY ASSURANCE FOR HIGH-  
THROUGHPUT BIOASSAY METHODS**  
Doc. No. **CORR-003/01US 302031-2044**

To Whom It May Concern:

The Certificate of Correction issued on January 27, 2009, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The issue date in the heading of cofc has been incorrectly entered in the heading of the issued cofc. A superseding cofc will be issued to correct the patent issue date to read --February 19, 2008--.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-9390 ext. 111  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-308-9390 ext. 125